

CONGELADORES ULTRABAJA TEMPERATURA -40°C A -86°C



	Modelo	Volumen Efectivo (L)	Dimensiones externas (bxpxa) cm	Dimensiones internas (bxpxa) cm
	DW-HL1.8	1.8	24.5x28.2x49.6	15.2x13.3x49.6
	DW-HL50HC	50	95.3x68.8x75.7	30.5x42.5x43.0
	DW-HL100HC	100	107.4x75.1x82.0	45.0x43.9x51.4
	DW-HL218HC	218	86.2x97.6x155.5	47.0x58.0x76.7
	DW-HL340	340	77.7x87.3x196.7	47.0x57.8x125.0
	DW-HL398(S/SA/HC)	398	78.5x104.1x194.7	44.0x69.6x126.6
	DW-HL528(S/SA/HC)	528	93.0x104.1x194.7	58.5x69.6x126.6

	DW-HL678(S/SA/HC)	678	109.0x102.5x195.5	75.0x69.6x128.6
	DW-HL778(S/SA/HC)	778	120.5x102.5x195.5	86.5x69.6x128.6
	DW-HL858(S/SA/HC)	858	121.7x102.5x200.5	87.7x69.6x137.8
	DW-HL1008(S/SA/HC)	1008	136.2x102.5x200.2	102.2x69.6x137.8
	DW-HW50HC	50	65.0x60.6x108.1	43.0x30.5x42.5
	DW-HW138	138	132.0x89.0x103.0	49.0x47.0x58.0
	DW-HW328	328	203.0x89.0x102.0	120.0x47.0x57.0



DW-HW668

668

203.3x119.0x103.7

120.0x81.5x61.0

INOLAB 
Especialistas